




BEARING PRECISION AXLE CORP.

INA RASEY35-N bearing units



RASEY35-N Bearing 2D drawings and 3D CAD models

Bearing No. RASEY35-N

Bore Diameter	35 mm
d	35 mm
S1	25,4 mm
Thread (Q)	Rp1/8
A	45 mm
A1	27 mm
B	42,9 mm
H	47,6 mm
H1	19 mm
H2	93 mm
J	126 mm
L	163 mm
N	14 mm
N1	21 mm
Weight	1,55 Kg
Basic dynamic load rating (C)	25,5 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	1.7
EAN	4012802797978
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Set Screw
Housing Style	2 Bolt Pillow Block



BEARING PRECISION AXLE CORP.

Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GYE35KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Standard Shaft Height
Long Description	2 Bolt Pillow Block; 35MM Bore; 47.6MM Base to Center Height; Set Screw Mount; Ball Bearing; 122.1MM Minimum Bolt Spacing; 137.9MM Bolt Spacing Maximum; Relubricatable; Cast Iron; Double Land Riding R
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	RASEY35
Weight / LBS	3.75
Actual Bolt Center to Center	0 Inch 0Millimeter
Bore	1.378 Inch 35 Millimeter
Bolt Spacing Minimum	4.807 Inch 122.1Millimeter
Nominal Bolt Center to Center	5 Inch 127 Millimeter
Length Thru Bore	1.689 Inch 42.9 Millimeter
Bolt Spacing Maximum	5.429 Inch 137.9Millimeter



BEARING PRECISION AXLE CORP.

Base to Center Height	1.874 Inch 47.6 Millimeter
-----------------------	------------------------------