




BEARING PRECISION AXLE CORP.

INA RASE120 bearing units



RASE120 Bearing 2D drawings and 3D CAD models

Bearing No. RASE120

Bore Diameter	120 mm
d	120 mm
S1	52,5 mm
Thread (Q)	Rp1/8
d3	152 mm
A	105 mm
A1	70 mm
B1	81 mm
H	135 mm
H1	45 mm
H2	265 mm
J	358 mm
L	440 mm
N	33 mm
N1	41 mm
Weight	26,52 Kg
Basic dynamic load rating (C)	155 kN
Category	Pillow Block Bearings
Inventory	0.0
Manufacturer Name	SCHAEFFLER GROUP
Minimum Buy Quantity	N/A
Weight / Kilogram	25.54
EAN	4012802066036
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar



BEARING PRECISION AXLE CORP.

Housing Style	2 Bolt Pillow Block
Rolling Element	Ball Bearing
Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Relubricatable	Yes
Insert Part Number	GE120KRRB
Seals	Double Land Riding Rubber Contact
Housing Configuration	1 Piece Solid
Inch - Metric	Metric
Other Features	Single Row Standard Shaft Height With Set Screw
Long Description	2 Bolt Pillow Block; 120MM Bore; 135MM Base to Center Height; Eccentric Collar Mount; Ball Bearing; Relubricatable; Cast Iron; Double Land Riding Rubber Contact; Non-expansion
Category	Pillow Block
UNSPSC	31171511
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Pillow Block
Manufacturer URL	http://www.ina.com
Manufacturer Item Number	RASE120
Weight / LBS	56.262
Bolt Spacing Maximum	0 Inch 0Millimeter
Base to Center Height	5.315 Inch 135 Millimeter
Bore	4.724 Inch 120 Millimeter
Bolt Spacing Minimum	0 Inch 0Millimeter
Length Thru Bore	3.189 Inch 81 Millimeter
Actual Bolt Center to Center	14.1 Inch 358Millimeter



BEARING PRECISION AXLE CORP.

Nominal Bolt Center to Center	14.1 Inch 358 Millimeter
-------------------------------	----------------------------